

2022

PROFESSIONAL AND OFFSHORE RANGE CATALOGUE

BALTIC

LIFEJACKETS SWEDEN



INDEX

<i>Inflatable lifejackets - function</i>	1
<i>M.E.D./SOLAS inflatable lifejackets</i>	2
<i>M.E.D./SOLAS foam lifejackets</i>	6
<i>Inflatable lifejackets</i>	8
<i>Hybrid lifejackets</i>	10
<i>Industrial buoyancy aids</i>	11
<i>Industrial floatation clothing</i>	12
<i>Accessories</i>	13
<i>Spare parts</i>	16



FUNCTION

HOW THEY OPERATE

Inflatable lifejackets have an inflation valve either automatic or manual connected to an airtight bladder. To operate the manual valve you simply pull the toggle on the right hand side of the jacket downwards with a jerk and the bladder will start to inflate immediately. The automatic lifejacket will operate and inflate once it has been immersed in water for three seconds. The automatic can be operated manually and both types can be inflated orally by the tube. The oral tube is used to deflate the lifejacket. N.B! After gas inflation the lifejacket must be rearmed. Inside the lifejacket you will find instructions as to which rearming kit to use. Instructions to complete the rearming procedure are included with our rearming kits.



RETAINER

All Baltic lifejackets are fitted with a cylinder retainer to prevent the cylinder from working loose.

ANNUAL INSPECTION

Inflatable lifejackets require inspection regardless of whether they have been inflated or not. Failure to carry out the annual inspection may cause your inflatable lifejacket to malfunction! The annual inspection is best carried out by our accredited service stations, or as an alternative you can perform a simplified inspection yourself. Instructions for this simplified self inspection and information of our accredited service stations are to be found on our web page: www.baltic.se



INFLATION

PRE-WEAR CHECK

AUTOMATIC VALVE

If either one or both indicators on the automatic valve shows red the lifejacket must be inspected or rearmed. All inflatable lifejackets in Baltic's industrial range are equipped with an inspection window for valve control.

CARTRIDGE / CAPSULE

Check the expiry date of cartridge / capsule.

CHECK PULL KNOB

Check that the manual inflation pull knob is accessible when donned.



LEGEND M.E.D./SOLAS

The Legend series of Baltic SOLAS lifejackets for work with comfort, available with fabric or wipe clean PVC cover. The design features a larger neck opening with soft collar, Baltic's unique head support and is tailored to ensure a close fit with minimal bulk. Standard features include a quick lock buckle, dual crutch straps, lifting becket and buddyline. Optional extras are a lifejacket light, sprayhood, protective covers, AIS and PLB. Products with integrated safety harnesses are approved to EN ISO 12401 and have a non-magnetic stainless steel interlocking front buckle.



- | | | | |
|--|---------------------------------|--|------------------------------|
| | 1. M.E.D./SOLAS APPROVED | | 5. TWIN CHAMBERS |
| | 2. 305N | | 6. INTEGRATED HARNESS |
| | 3. 60G CO₂ | | 7. DUAL CRUTCH STRAPS |
| | 4. AUTOMATIC INFLATION | | 8. SPRAYHOOD OPTIONAL |

Recommended accessories:



Article number: 2460



Article number: 2407



Article number: 0133

LEGEND M.E.D./SOLAS 305 HARNESS



SIZE: 43+ kg (Onesize)

COLOUR AND ART NO:



FEATURES:



DESCRIPTION:

The Legend 305 series of Baltic SOLAS lifejackets for work with comfort, available with fabric or wipe clean PVC cover. The design features larger neck opening soft collar, Baltic unique head support and tailored to ensure a close fit with minimal bulk. Standard features include quick lock buckle, crutch straps, lifting becket and buddyline. Optional extras are lifejacket light, sprayhood, protective covers, AIS and PLB. Integrated safety harnesses approved to EN ISO 12401 with a non-magnetic stainless steel interlocking front buckle.

LEGEND M.E.D./SOLAS 305



SIZE: 43+ kg (Onesize)

COLOUR AND ART NO:



FEATURES:



DESCRIPTION:

The Legend 305 series of Baltic SOLAS lifejackets for work with comfort, available with fabric or wipe clean PVC cover. The design features larger neck opening soft collar, Baltic unique head support and tailored to ensure a close fit with minimal bulk. Standard features include quick lock buckle, crutch straps, lifting becket and buddyline. Optional extras are lifejacket light, sprayhood, protective covers, AIS and PLB.

LEGEND M.E.D./SOLAS 165 HARNESS



SIZE: 43+ kg (Onesize)

COLOUR AND ART NO:



1811 1812 1813

FEATURES:



DESCRIPTION:

The Legend 165 series of Baltic SOLAS lifejackets for work with comfort, available with fabric or wipe clean PVC cover. The design features larger neck opening soft collar; Baltic unique head support and tailored to ensure a close fit with minimal bulk. Standard features include quick lock buckle, crutch straps, lifting becket and buddyline. Optional extras are lifejacket light, sprayhood, protective covers, AIS and PLB. Integrated safety harnesses approved to EN ISO 12401 with a non-magnetic stainless steel interlocking front buckle.

LEGEND M.E.D./SOLAS 165



SIZE: 43+ kg (Onesize)

COLOUR AND ART NO:



1801 1802 1803

FEATURES:



DESCRIPTION:

The Legend 165 series of Baltic SOLAS lifejackets for work with comfort, available with fabric or wipe clean PVC cover. The design features larger neck opening soft collar; Baltic unique head support and tailored to ensure a close fit with minimal bulk. Standard features include quick lock buckle, crutch straps, lifting becket and buddyline. Optional extras are lifejacket light, sprayhood, protective covers, AIS and PLB.





INDU PRO M.E.D./SOLAS



The Baltic Indu Pro has a larger neck opening and soft collar. The EN/ISO 12401 safety harness with stainless steel buckle is designed to fit a fall arrest harness. Complete with win crutch straps and a buddy line, zipped access point to AIS, and two card holders. Attachment points for light and spray hood and a lifting beckett and whistle. Reflective patches on the cover. Buoyancy 305N.

- 1. M.E.D./SOLAS APPROVED
- 2. 305N
- 3. 60G CO₂
- 4. AUTOMATIC INFLATION
- 5. TWIN CHAMBERS
- 6. INTEGRATED HARNESS
- 7. DUAL CRUTCH STRAPS
- 8. SPRAYHOOD OPTIONAL

Recommended accessories:



Article number: 2460



Article number: 2407

INDU PRO M.E.D./SOLAS 305 HARNESS



SIZE: 43+ kg [Onesize]

COLOUR AND ART NO:



2816

FEATURES:



DESCRIPTION:

The Baltic Indu Pro SOLAS lifejacket is designed for the commercial environment, allowing the wearer to work in comfort. The design features larger neck opening and soft collar. The EN/ISO 12401 safety harness is designed to fit a fall arrest harness. Non-magnetic stainless steel interlocking front buckle. Detachable twin crutch straps, buddy line, zipped access point to AIS/PLB, 2 card holders, attachment points for light, AIS and sprayhood, lifting beckett and whistle. Reflective patches on the cover. Buoyancy 305N. Optional extras are safety light, spray hood and protective covers.

INDU BASIC M.E.D./SOLAS 165 HARNESS



SIZE: 43+ kg [Onesize]

COLOUR AND ART NO:



1817

FEATURES:



DESCRIPTION:

A basic M.E.D./SOLAS lifejacket with a durable PVC cover, dual crutch straps, integrated safety harness and quick release buckle.

INDU BASIC M.E.D./SOLAS 165



SIZE: 43+ kg [Onesize]

COLOUR AND ART NO:



1807

FEATURES:



DESCRIPTION:

A basic M.E.D./SOLAS lifejacket with a durable PVC cover, dual crutch straps and quick release buckle.

M.E.D./SOLAS FOAM MK3

Equipped with retro reflective patches, buckle, whistle and lifting loop plus Buddy Line. The outer material is made of a durable UV-reflective polyester with floatation material of laminated polyethylene foam. Tested and approved to MED Directive 2014/90/EU and the specified standard LSA code MSC 48(66) and MSC 81(70)




1. M.E.D./SOLAS APPROVED

3. WHISTLE



2. 135 N

4. BUDDY LINE



M.E.D./SOLAS FOAM MK3 ADULT



SIZE: 43+ kg (Vuxen)

COLOUR AND ART NO:



1050

FEATURES:



DESCRIPTION:

Equipped with retro reflective patches, buckle, whistle and lifting loop plus Buddy Line. The outer material is made of a durable UV-reflective polyester with floatation material of laminated polyethylene foam. Tested and approved to The Life Saving Appliance requirements of Marine Equipment Directive (MED) 96/98/EC (latest edition), ANNEX A. 1, item A. 1/1. 4 Tested according to the international standard IMO Res MSC. 81 (70) with resolution MSC. 200 (80).

M.E.D./SOLAS FOAM MK3 CHILD



SIZE: 15-43 kg (Junior)

COLOUR AND ART NO:



1040

FEATURES:



DESCRIPTION:

Equipped with retro reflective patches, buckle, whistle and lifting loop plus Buddy Line. The outer material is made of a durable UV-reflective polyester with floatation material of laminated polyethylene foam. Tested and approved to The Life Saving Appliance requirements of Marine Equipment Directive (MED) 96/98/EC (latest edition), ANNEX A. 1, item A. 1/1. 4 Tested according to the international standard IMO Res MSC. 81 (70) with resolution MSC. 200 (80).

**M.E.D./SOLAS FOAM MK3
INFANT STD****SIZE:** 0-15 kg (Barn)**COLOUR AND ART NO:**

1035

FEATURES:**DESCRIPTION:**


Equipped with retro reflective patches, buckle, whistle and lifting loop plus Buddy Line. The outer material is made of a durable UV-reflective polyester with floatation material of laminated polyethylene foam. Tested and approved to The Life Saving Appliance requirements of Marine Equipment Directive (MED) 96/98/EC (latest edition), ANNEX A. 1, item A. 1/1. 4 Tested according to the international standard IMO Res MSC. 81 (70) with resolution MSC. 200 (80).

**M.E.D./SOLAS FOAM MK3
INFANT SUPERSOFT****SIZE:** 0-15 kg (Barn)**COLOUR AND ART NO:**

1030

FEATURES:**DESCRIPTION:**

Equipped with retro reflective patches, buckle, whistle and lifting loop plus Buddy Line. The outer material is made of a durable UV-reflective polyester with floatation material of laminated polyethylene foam. Tested and approved to The Life Saving Appliance requirements of Marine Equipment Directive (MED) 96/98/EC (latest edition), ANNEX A. 1, item A. 1/1. 4 Tested according to the international standard IMO Res MSC. 81 (70) with resolution MSC. 200 (80).



**ISO 9001 Certified
manufacturer of
M.E.D./SOLAS
approved products**

**TESTED AND
APPROVED TO
M.E.D./SOLAS
MSC 200 (80)**

M.E.D./SOLAS LIFEJACKETS

All of our industrial products as with our other products are tested and approved to the latest standards. We also conduct our own product tests to ensure that the products and components function perfectly. These tests have also included various lifejacket lights in water, onboard and also in abandonment situations including evacuation chutes.

To ensure a maximum lifespan, our M.E.D./SOLAS lifejackets are manufactured using only quality materials, this coupled with a compact design to take up the absolute minimum volume for stowage.

The adult version has a waist belt that's girth exceeds 1750 mm as standard.



Laminated donning instructions are available in different sizes and can be supplied with the lifejackets.

The infants version has been tested and designed for comfort, manufactured using super soft floatation foam and incorporates a beaver tail crutch strap to ensure secure fit with maximum comfort.

LEGEND 305

The Legend series of 305N lifejackets features larger a neck opening with soft collar, the unique Baltic head support and is tailored to ensure a close fit with minimal bulk. With integrated an safety harness the lifejacket is approved to EN ISO 12401. Also available in a SLA version with integrated M.E.D./SOLAS lifejacket light, sprayhood and attachment straps for AIS/PLB.



-  **1. WORLD SAILING OSR**
-  **5. AUTOMATIC INFLATION**
-  **2. SPRAYHOOD, LIGHT AND AIS**
-  **6. INTEGRATED SAFETY HARNESS**
-  **3. 305N**
- 7. CRUTCH STRAP**
-  **4. 60G CO₂**

Recommended accessories:



Article number: 2460



Article number: 2407



Article number: 0133

LEGEND 305 HARNESS SLA



SIZE: 40-150 kg (Onesize)

COLOUR AND ART NO:



FEATURES:



DESCRIPTION:


Legend 305 sits further out on the shoulders and further back from the neck than other Baltic models. This shape combined with the soft and flexible materials makes for a very comfortable lifejacket. Harness SLA models are approved for ocean sailing in accordance with the World Sailing OSR, and come equipped with woven loop and airy mesh lining in the back. All variants have inspection windows and detachable crotch straps.

LEGEND 305 HARNESS



SIZE: 40-150 kg (Onesize)

COLOUR AND ART NO:



FEATURES:



DESCRIPTION:

This lifejacket has twice the buoyancy as our standard inflatable lifejackets. The Legend 305 is suitable for Ocean sailing when using heavyweight waterproofs and clothing, such as floatation suits. The integrated safety harness has a woven attachment loop for a lifeline. Carrying capacity 305N. There is an inspection window showing that the lifejacket is ready for use.

FISHFARMER 165



SIZE: 40-150 kg (Onesize)

COLOUR AND ART NO:



1512

FEATURES:



DESCRIPTION:

The Fishfarmer 165 comes with a durable soft PVC outer cover; providing very high resistance to fish oil, industrial oil, mould, UV-light and heavy abrasion etc. Developed for the commercial fisherman with detachable knife pocket and VHF radio holder. Retro reflective patches, lifting becket, detachable crutch strap and attachment point for sprayhood are all included. Optional accessories include: sprayhood, lifejacket light.

INDUSTRIAL HAMMAR




SIZE: 40-150 kg (Onesize)

COLOUR AND ART NO:



7510

FEATURES:



DESCRIPTION:

Apart from being equipped with a hydrostatic Ma1 valve, the Industrial HAMMAR holds the same properties as the Industrial Argus, such as soft durable PVC cover; retro reflective patches, lifting becket, detachable crutch strap and attachment point for sprayhood are all included. Optional accessories include: sprayhood, lifejacket light.

INDUSTRIAL 165




SIZE: 40-150 kg (Onesize)

COLOUR AND ART NO:



1510

FEATURES:



DESCRIPTION:

The Industrial 165 comes with a durable soft PVC outer cover; providing very high resistance to fish oil, industrial oil, mould, UV-light and heavy abrasion etc. Developed for the commercial fisherman or for use when an extra durable lifejacket with automatic inflation is needed. Retro reflective patches, lifting becket, detachable crutch strap and attachment point for sprayhood are all included. Optional accessories include: sprayhood, lifejacket light.

WINNER



SIZE: 40-150 kg (Onesize)

COLOUR AND ART NO:



1555 1556 1558 1559 1595

FEATURES:



DESCRIPTION:

Our top selling model of lifejacket in an updated design. Strong outer fabric and fitted with an detachable crutch strap. Buoyancy 165N.

HYBRID 220

Hybrid 220 is a lifejacket which comes with 55N inherent buoyant material and a 165N inflatable lung. The Hybrid 220 comes with automatic or manual inflation, two zipped pockets, retro reflective patches and double crutch straps, and an integrated safety harness approved to EN/ISO 12401.



- 

1. 165N + 55N
- 

5. DUAL CRUTCH STRAPS
- 

2. 33G CO₂
- 

6. RETRO REFLECTIVE PATCHES
- 

3. AUTOMATIC INFLATION
- 7. POCKETS**
- 

4. INTEGRATED SAFETY HARNESS

Recommended accessories:



Article number: 2433



Article number: 2407



Article number: 0133

HYBRID 220 AUTO



SIZE: 60-120 kg (Onesize)

COLOUR AND ART NO:



FEATURES:



DESCRIPTION:


A closed cell foam inherent buoyancy aid and inflatable lifejacket combination with an integrated safety harness approved according to EN/ISO 12401. The combined buoyancy of the inflated lung and buoyancy aid is 220N with the lung having a buoyancy of 165N. Other features include two zipped pockets, twin thigh strap and an inspection window fitted so that you can visually check that the status indicators of the valve are showing green.

HYBRID 220 MANUAL



SIZE: 60-120 kg (Onesize)

COLOUR AND ART NO:



FEATURES:



DESCRIPTION:

A closed cell foam inherent buoyancy aid and inflatable lifejacket combination with an integrated safety harness approved according to EN/ISO 12401. The combined buoyancy of the inflated lung and buoyancy aid is 220N with the lung having a buoyancy of 165N. Other features include two zipped pockets, twin thigh strap and an inspection window fitted so that you can visually check that the status indicators of the valve are showing green. Only manual inflation.

INDUSTRIAL BUOYANCY AIDS

SAR has more floatation material than a conventional 50N buoyancy aid, giving enhanced in-water freeboard. SAR is equipped with an integrated safety harness which has stainless steel attachment D-rings on the front and back, double crutch strap, two large fleece-lined pockets, one with a velcro closure and the other a zip. There are also two smaller divided pockets fitted on the chest area, one pocket has a whistle and the other pocket can be used, for example to attach a knife. SAR is a one-size buoyancy aid, adjusted by using the waistband and side adjusters for a snug fit. Fitted with retro-reflectors to provide high visibility and attachment points on the chest for VHF/radio.

Manufactured by combining heavy duty materials, components and innovative design makes the **PILOT** the number one choice if you work on or near water. The Pilot features an integrated safety harness, universal attachment points on the shoulders, two crutch straps and two fleece-lined outer pockets. The Pilot also has lifting handles incorporated in the shoulder straps and retro reflective tape front and back to ensure all-round high visibility for night-work.

WORKER is a robust buoyancy aid in our industrial range. The outer cover is manufactured using a PVC coated nylon which makes the vest resistant to UV-light, oil and mould. The Worker has three sturdy waistbands to ensure a comfortable fit, lifting handles in the shoulder straps and retro- reflective patches on the shoulders.

SAR



SIZE: 40+ kg (Onesize)

COLOUR AND ART NO:



5516 5515

FEATURES:



DESCRIPTION:

This specialist buoyancy aid for tough conditions has been developed in conjunction with the Swedish Sea Rescue Society. It comes complete with an integrated CE approved safety harness, two outer pockets and two net pockets for whistle and knife. There are two attachment points for VHF or emergency lights on the shoulders. Retro- reflective on the front, back and shoulders, and twin thigh straps.

PILOT



SIZE: 50-70 kg (M), 70-90 kg (L), 90+ kg (XL)

COLOUR AND ART NO:



5513

FEATURES:



DESCRIPTION:

The Pilot features an integrated safety harness, universal attachment points on the shoulders, two crutch straps and two fleece-lined outer pockets. The Pilot also has lifting handles incorporated in the shoulder straps and retro reflective tape front and back to ensure all-round high visibility for night-work.

WORKER



SIZE: 40-130 kg (Onesize)

COLOUR AND ART NO:



5112

FEATURES:



DESCRIPTION:

The Worker is a robust buoyancy aid in our industrial range. The outer cover is manufactured using a PVC coated nylon which makes the vest resistant to UV-light, oil and mould. The Worker has three sturdy waistbands to ensure a comfortable fit, lifting handles in the shoulder straps and retro- reflective patches on the shoulders.

AMAROK

Baltic floatation suits have an excellent fit due to a lighter and softer floatation material. They remain soft and comfortable to wear even in very low temperatures. All suits comes with waterproof materials and taped seams, fitted with exterior pockets, one inside pocket, high collar and a hood that can be rolled into the collar. For added comfort there are internal braces for optimal fit and adjustable cuffs in the sleeves and legs. All our suits are tested and approved to EN ISO 15027- 1 thermal protection. One of the criteria for this test is that five people in 15° C water for two hours must not lose more than two degrees in body core temperature. Test subjects in Baltic floatation suits lost only 0,8° C. As these suits provide the same buoyant properties as 50N buoyancy aids these suits are only suitable for competent swimmers.



-  **1. 50N**
-  **2. THERMAL PROTECTION**
-  **3. RETROREFLECTIVE PATCHES**
-  **4. WHISTLE**
-  **5. WATERPROOF MATERIALS**
-  **6. TAPED SEAMS**
-  **7. ADJUSTABLE CUFFS**
-  **8. POCKETS**

AMAROK



SIZE: 50-60 kg (XS), 60-70 kg (S), 70-80 kg (M), 80-90 kg (L), 90-100 kg (XL), 100+ kg (XXL), 100++ kg (XXXL)

COLOUR AND ART NO:



5792 5798

FEATURES:



DESCRIPTION:

Soft and comfortable floatation suit. Fully waterproof with taped seams. Four outer pockets and two fleece-lined outside pockets. Internal braces. Approved according to the same standard as a buoyancy aid. Remains soft and comfortable to wear at very low temperatures. Buoyancy: 80N.

DOCK FLOATATION JACKET



SIZE: 50-60 kg (XS), 60-70 kg (S), 70-80 kg (M), 80-90 kg (L), 90-100 kg (XL), 100+ kg (XXL), 100++ kg (XXXL)

COLOUR AND ART NO:



5470

FEATURES:



DESCRIPTION:

A 50N EN ISO approved floatation jacket with high quality materials and a supreme fit. Waterproof, several pockets, high visibility properties, air vents under the arms, and new softer and improved reflective strips.

ACCESSORIES

Baltic Safety Products holds a wide range of accessories and spare parts for all our lifejackets and buoyancy aids.

All are designed and developed with the same precision and high quality materials. All safety equipment is tested and certified to the EN/ISO standard.



PROTECTIVE COVER



SIZE: Onesize kg ()

COLOUR AND ART NO:



2521

DESCRIPTION:

Fits all Baltic inflatable lifejackets. Durable material protects your lifejacket from wear, oils and sparks from cutting tools.

MOLTEN METAL SPLASH PROOF COVER



SIZE: Onesize kg ()

COLOUR AND ART NO:



2543

DESCRIPTION:

Fits all Baltic inflatable lifejackets. The flame resistant material is soft, pliable and does not reflect light from welding or cutting tools.

SAFETY HARNESS



SIZE: 50+ kg (Adult)

COLOUR AND ART NO:



0104

FEATURES:



DESCRIPTION:

Approved for national and international offshore racing in accordance to World Sailing OSR. Constructed with support plates in the back, retro-reflective tape, two toggles to attach to foul weather clothing, easy adjustable shoulder and waistband, non magnetic stainless steel buckles and sturdy D-ring for safety line attachment.

SAFETY LINES

All Baltic safety lines are approved according to EN/ISO 12401. All models are made from polyamide with elastic and non-elastic options available, and come with aluminum to stainless steel hooks. Safety lines with three hooks are approved for international yacht sailing according to World Sailing OSR regulations.

SUPREME 3-HOOK



SIZE: 2 Meter

COLOUR AND ART NO:



0133

FEATURES:



DESCRIPTION:

Elastic line made from UV-stabilized polyamide. Tested and approved according to EN / ISO 12401. Special carabine hooks in aluminum of rock climbing quality and design. Approved for international ocean sailing according to World Sailing OSR.

SUPREME 2-HOOK



SIZE: 2 Meter

COLOUR AND ART NO:



0132

FEATURES:



DESCRIPTION:

Elastic line made from UV-stabilized polyamide. Tested and approved according to EN / ISO 12401. Special carabine hooks in aluminum of rock climbing quality and design. A very exclusive and safe 2-hook line.

ELASTIC 3-HOOK



SIZE: 2 Meter

COLOUR AND ART NO:



0106

FEATURES:



DESCRIPTION:

An elasticated safety line with double action hooks at both ends, fitted with overload indicator. Extended length 2 m.

ELASTIC 2-HOOK



SIZE: 2 Meter

COLOUR AND ART NO:



0107

FEATURES:



DESCRIPTION:

An elasticated safety line with a double action hook at both ends fitted with overload indicator. Extended length 2 m.

BASIC 3-HOOK**SIZE:** 2 Meter**COLOUR AND ART NO:**

0120

FEATURES:**DESCRIPTION:**

Three double action safety hooks fitted to one line so even when changing position you never need to be unclipped. Equipped with overload indicator. Length 2 m.

BASIC 2-HOOK**SIZE:** 2 Meter**COLOUR AND ART NO:**

0115

FEATURES:**DESCRIPTION:**

A safety line with a double action hook at both ends fitted with overload indicator. Extended length 2 m.

BASIC 2-HOOK 1 METER**SIZE:** 1 Meter**COLOUR AND ART NO:**

0108

FEATURES:**DESCRIPTION:**

A safety line with a double action hook at both ends fitted with overload indicator. Extended length 1 m.



SPARE PARTS

CO₂ CYLINDER 60 GRAM
Art no: 2460



60 Gram

CO₂ CYLINDER 45 GRAM
Art no: 2445



45 Gram

CO₂ CYLINDER 38 GRAM
Art no: 2438



38 Gram

CO₂ CYLINDER 33 GRAM
Art no: 2433



33 Gram

HAMMAR REARMING KIT 60 GRAM
Art no: 2454



60 Gram

HAMMAR REARMING KIT 45 GRAM
Art no: 2456



45 Gram

HAMMAR REARMING KIT 38 GRAM
Art no: 2452



38 Gram

HAMMAR REARMING KIT 33 GRAM
Art no: 2450



33 Gram

CAPSULE UNITED MOULDERS
Art no: 2407



CARTRIDGE UNITED MOULDERS
Art no: 2520



BOBBIN HALKEY ROBERTS
Art no: 2406



SAFETY CLIPS HR/UM
Art no: 2404



EMERGENCY LIGHT M.E.D. / SOLAS
Art no: 2401



RETRO REFLECTIVE KIT 2 PCS
Art no: 2507



WHISTLE
Art no: 2508



CRUTCH STRAP 30 MM
Art no: 2510



RADIO POCKET
Art no: 2513



SPRAYHOOD
Art no: 2516







SWEDEN

Baltic Safety Products AB
Industrivägen 7, 545 72 Älgårås
Phone: 0506-369 90
info@baltic.se

ENGLAND

Baltic Safety Products UK Ltd
Phone: +44 238 045 7272
sales@baltic-uk.com

